

2024



江锐货架

全球专业仓储货架制造商

JRACKING

PROFESSIONAL GLOBAL RACKING
MANUFACTURER

 www.jracking.com.cn

 +86 025-84645451

 export@jracking.com

 江苏省南京市大光路142号际华广场9楼

南京江锐仓储设备制造有限公司
Jracking (China) Storage Solutions

我们的愿景
二十年内成为全球最佳智能货架供应商

Our vision: To become the world's best smart racking supplier in 20 years

CONTENTS

目录

关于江锐 About Jracking

- 锐志 · 企业概况 Company Introduction 02
- 锐势 · 全球布局 Global Distribution 04
- 锐质 · 公司实力 Company Strength 06

产品与案例 Products And Cases

- 储锐 · 产品中心 Product Center 08
- 蓄锐 · 经典案例 Classic Cases 18

服务与支持 Service and Support

- 精锐 · 我们的服务 Our Service 20
- 执锐 · 合作伙伴 Our Customers 24

01 关于江锐

专业的全球货架制造商
Professional global racking manufacturer



► **Jracking江锐货架**创立于**2004**年，多年来深耕海外市场，凭借雄厚的资金实力，成熟优越的合作模式，已实现全球化业务布局，并且积累了多个成功的海外集成项目实施经验。

目前，在全球拥有近**15万平米**的生产基地，年产能达**10万吨**，产品远销全球**90**多个国家。

主营产品包括**悬臂货架、重型货架、智能货架、非标货架**等，具备**ISO9001、CE、AS4084**等多国行业资质认证体系。

Jracking was founded in **2004**, which has been deeply engaged in overseas markets for many years. With strong financial strength and mature and superior cooperation models, It has achieved a global business layout and has accumulated experience in the implementation of many successful overseas integration projects.

At present, it has a production base of nearly **150,000 square meters** around the world, with an annual production capacity of **100,000 tons**, and its products are exported to more than **90** countries around the world. The main products include **cantilever rackings, heavy rackings, intelligent rackings, non-standard rackings**, etc. we have **ISO9001, CE, AS4084** and other sound certification systems.

◇ 资质证书



◇ 发展历程

<p>2004 品牌起源 南京江锐仓储设备有限公司成立 Jracking(China)Storage Solutions established</p>	<p>2005 第一工厂建成 丹阳北鸿实业有限公司成立 BeiHong Industrial Co., Ltd established</p>	<p>2011 扩大发展 丹阳第二工厂建成 Danyang the 2nd factory built</p>	<p>2013 AS4084 标准认证 第一个国内 ASRS 项目 The first ASRS project in Mainland China</p>	<p>2014 全球布局 收购海外子公司——澳洲 BHD Acquisition of overseas subsidiaries ---BHD Australia</p>	<p>2017 海外立项 第一个海外 ASRS 项目 The first ASRS project overseas</p>	<p>2018 产能升级 越南 BHD 工厂建成，第一个 200 万美元订单 BHD Vietnam factory established, the first \$2 million order</p>	<p>2020 快速扩张 第一个 1000 万美元订单，营业额突破 3 亿人民币 The first \$10 million order, revenue over ¥300 million</p>	<p>2022 深耕北美 在亚特兰大成立美国 BHD 公司 BHD US was formally established in Atlanta</p>	<p>2024 锐意拓疆 江锐铜陵工厂建成投产 Jracking Tongling Factory was completed and put into operation</p>
---	--	--	---	---	---	--	---	---	---

全球布局

► **Tracking江锐货架**多年来专注开拓海外市场, 迄今, 已在中国丹阳、中国铜陵、越南岷港设有生产基地, 在澳大利亚、越南、美国等多个国家设有分公司, 产品远销全球90多个国家和地区, 经销商网络遍布全球。

Tracking was focusing on the development of overseas markets over the years. So far, we have set up factories in Danyang, China; Tongling, China; Da Nang, Vietnam. We own branches in Australia, Vietnam, the United States and other countries, while products are exported to more than 90 countries and regions around the world. Our business networks are all over the world.

200+ 海外经销商

6 个销售中心
南京、上海、苏州、澳大利亚、越南、美国

4 个研发中心
南京、丹阳、越南、铜陵

3 个工厂
越南、丹阳、铜陵

90+ 国家客户
COUNTRIES

90% 海外业务占比



江锐集团总部
Jtracking Group Headquarters



江锐集团·丹阳生产基地
Jtracking Group · CN intelligent Racking Factory I



江锐集团·铜陵生产基地
Jtracking Group · CN intelligent Racking Factory II



江锐集团·越南生产基地
Jtracking Group · BHD Vietnam Production Base



江锐集团·北美服务中心
Jtracking Group · BHD USA



江锐集团·澳洲服务中心
Jtracking Group · BHD Australia



江锐集团·上海办事处
Jtracking Group · Shanghai Office

公司实力

强大的生产能力 Strong production capacity



江锐拥有生产厂房总面积超 5 万平方米,年产能近 10 万吨,新建的总面积约 6 万平方米的智能仓储生产基地投产后将更大幅度地提高产能。

Jracking has a total area of more than 50,000 square meters of production plants, the annual output of nearly 100,000 tons. The new intelligent storage production base has a total area of about 60,000 square meters, and its capacity will be significantly increased after putting into production.

150,000 m²
生产基地
Production Base

丰富的海外资源 Rich overseas resources



江锐深耕海外市场多年,结合海外生产基地和海外子公司在当地的影响力,能够很好地提供各种本地化服务并推进项目高效落地。

Jracking has been deeply engaged in overseas markets for many years. Combined with the local influence of overseas production bases and overseas subsidiaries, it is able to provide various localized services and promote the efficient landing of projects.

100,000 吨
年生产能力
Annual Capacity

良好的企业信誉 Good corporate reputation



江锐发展至今,积累了雄厚的资金实力,快速增长离不开的是企业良好的信誉,多年来在与广大客户的合作中一直恪守承诺,坚决履约。

Developing so far, Jracking has accumulated a strong financial strength. Its rapid growth is inseparable from the good reputation of the enterprise. Over the years, in the cooperation with all the customers, Jracking has been abiding by the promise and resolutely performing the agreement.

5000+
出口柜
Annual Export Cabinets


300+
员工人数
Number Of Staff

生产实力

冲轧一体 Punching & Rolling Integration Equipment



- 立柱冲轧一体流水线,长 50 米,宽 2.5 米;
 - 保证生产精度,保证产品质量。
- Column punching and rolling integrated assembly line, 50 meters long and 2.5 meters wide.
Ensuring production accuracy and quality of products.




立喷线 Automatic Vertical Powder Coating Line



- 横梁立式喷涂线,长 46 米,宽 18 米,高 6.8 米;
- 产量 3000-5000 根每 8 小时;
- 节约人力成本,提高生产效率。

The vertical beam spraying line is 46 meters long, 18 meters wide and 6.8 meters high.
It has an output of 3000-5000 pieces every 8 hours.
It can save labor costs and improve production efficiency.




BA

02 产品与案例

Products And Cases

优质产品,是走向世界的桥梁。
High quality products are the bridge to the world.

高品质 | 高可靠性
High Quality | High Reliability



▶ **托盘货架**是行业内最受欢迎的功能型货架,作为存放码垛产品的最常用仓储系统,可存储各式各样的商品。*Jracking江锐货架*生产的托盘货架广泛应用于电商仓库、工厂车间和物流中心。与各种类型的托盘、料箱以及叉车配合使用,极大**提高仓库空间利用率,优化仓储设备运作便捷性。**

托盘货架 Selective Pallet Racking


 高利用率	 适配性高	 性价比高
 适用性广	 多配套件	 操作简单





悬臂货架 Cantilever Racking

► *Jracking*江锐货架生产的悬臂货架, 广泛应用于**机械加工**和**建材行业**。配合专业的叉车设备, 能够存放**板材、管材、型材、小汽车**等各种**长型物料**。立柱最高可达10.5m, 臂长通常为0.8m-2m。经过热镀锌表面处理的悬臂货架可用于室外, 可在立柱顶端或者货架四周加装顶棚和围挡, 用来降低风吹日晒、雨水对货架的影响。



 长型物料	 方案规划	 安全可靠
 可定制	 专业包装运输	 澳洲市场 占有率 90%



电动移动式货架 Electric Mobile Racking



► **电动移动货架**是密集存储中最为常见的一种形式, 借助于叉车进行货物存取, **空间利用率可达85%**。电动移动货架由轨道(或者导向装置)、行走装置、电机、货架、检测装置、操作面板以及软件控制系统等组成。主要功能有自动打开指定通道、手动打开指定通道、自动列控、均等散开(等距离散开)、自动报警(人突然进入、货物突然掉落、超载等)。按照车轮样式分为有轨式和无轨式。

 节省存储空间	 不限存储顺序	 操作简单
 抗震性强	 方便管理	 安全可靠





驶入式货架

Drive In Racking



▶ **驶入式货架**又称通廊式货架,为**密集型货架结构**,通常采用叉车作业,从货架同一侧进出,“先存后取,后存先取”。驶入式货架适用于品种较少,批量较大的货物存放,多应用于**冷库**等储存空间成本较高的食品仓库。



 密集型结构	 多用于冷库	 专业叉车作业
 成本较低	 大批量少品种货物	 仓库空间利用率高



压入式货架

Push Back Racking

▶ **压入式货架**由托盘货架演变而成,亦称后推式货架或推入式货架。运用轨道和台车相结合,采用一定坡度的轨道,利用货物的自重辅助存取。托盘被规定于单向储存,货物先进后出,适用于**大批量少品种**的货物,空间利用率高,**存取灵活方便**。受货架结构特点所限,货架总深度不宜超过5个深度,单个托盘货物重量不超过1200kg。




 先进后出	 大批量少品种货物	 空间利用率高
 存取灵活方便	 结构稳定	 作业效率较高



阁楼货架 Mezzanine

▶ **阁楼货架**，因以人工存取货物为主，所以适合存放**重量轻的中小型货物**。可根据客户仓库尺寸和实际项目需求设计方案，充分利用仓库高度。货物通常由人工叉车或货梯送至其他楼层，再由小推车或液压车送至某一位置。在汽车、轻工、电子等行业有较多应用。




 方案规划	 专业团队	 轻物料
 高密度存储	 专业包装运输	 可定制

钢平台 Steel Platform




▶ 与阁楼式货架相比，**钢平台**相对更加复杂，**承载能力更好**，可以存放一些较重的货物，货物多以托盘打包为主，还可以利用一些机械设备来提高仓库的工作效率。钢平台可根据客户需求**充分利用仓库空间**。平台结构**整体性强**，可根据实际需要选择多种楼面板以满足消防、防灰尘、防小件坠落要求，楼面下方也可配置照明系统。货物输送可选择升降平台或叉车。钢平台一般应用在办公区、检修处、生产车间、仓储物料堆放等场合。



 方案规划	 专业团队	 托盘货物
 高密度存储	 专业包装运输	 可定制



托盘类自动化立体库 Automated Warehouse for Pallets




► *Jracking*江锐货架生产的托盘类自动化立体库可分为横梁式立体库,牛腿式立体库,堆垛机配穿梭车立体库,以满足客户不同的仓库管理需求。利用立体仓库设备可实现**仓库高层合理化、存取自动化、操作简便化。**

料箱式自动化立体库 Automated Warehouse for Cartons

► 料箱式立体库能最大程度发挥仓库空间,配合料箱存放小而杂的货物。利用自动化设备和仓库软件系统的追踪定位,能够**准确而高效的存取种类繁多**的零部件。通常料箱式立体库的单个料箱重量较轻,但是整个立体库的放货层数较多,存货**密集度大**。





- 空间利用率高
- 自动化
- 准确高效
- 存货密度高
- 操作便捷
- 可信息化






▶ **穿梭车货架**是由货架、穿梭车及叉车组成的高密度半自动存储系统，目前，穿梭车主要有双向穿梭车、四向穿梭车和子母穿梭车三种。**Jracking江锐货架制造的四向和二向穿梭车货架**是仓储物流解决方案的理想选择。此类货架**精度高**，确保穿梭车**运行稳定**，提升了**安全性**；柔性化设计使导轨连接可**调整**，**适应不同场景**；**自动化操作**和**高密度存储**提升了**仓库运行效率**。适用于**电商、制造业、冷链物流和新能源**等广泛行业。

精度高	稳定运行	安全性高
自动化操作	高密度存储	灵活性好




| 二向穿梭式货架 |




| 四向穿梭式货架 |

经典案例




大型商超综合体物流中心
综合货架项目
项目地点 / 沙特吉达
占地面积 / 40,000 m²
总存储量 / 39,888P
货架总高度 / 19m



建筑设备制造商仓储中心
综合货架项目
项目地点 / 澳洲布里斯班
占地面积 / 17,000 m²
总存储量(含料箱) / 80,000P
托盘单货位最大承载 / 5,000kg



澳洲大型木材供应商物流仓库
悬臂货架项目
项目地点 / 澳洲悉尼
占地面积 / 2,000 m²
总储存量 / 408 托
货架总高度 / 7.01m



北美电商仓储物流中心
托盘货架项目
项目地点 / 美国伊利诺州
占地面积 / 3,000 m²
总存储量 / 5,400P
单货位最大承载 / 1,200kg

03 服务与支持

Service and Support

客户满意,是企业永恒的追求!

Customers' satisfaction is our eternal pursuit.

集成商 | 经销商 | 终端用户
Integrator | Dealer | End-user



全心全意为客户服务



集成商：全方面战略合作伙伴 Integrator : All-round strategic partner

初期方案报价、商务洽谈；中期现场勘测、结构复核；后期现场安装、检测验收。江锐集团能提供全覆盖式服务,为项目顺利招投标至执行落地保驾护航,以优质可靠的服务贯彻始终。

Initial plan quotation, business negotiation; mid-term on-site survey, structural review; later on-site installation, inspection, and acceptance. Jracking Group can provide full-coverage services, escort from the successful bidding of the project to the implementation, and supply high-quality and reliable services for all the procedures.



经销商：全种类优质货架厂家 Distributor: All kinds of high-quality racking manufacturer

一对一业务专员对接,海内外技术团队支持共享,产品质量可控可查,零延迟订单跟踪,可提供专享品牌定制的唛头、标志。多年来对高品质的初心从未改变,江锐集团是您放心的好伙伴,永远的坚强后盾。

We promise one-to-one business specialist docking, domestic and overseas technical team support and sharing, product quality controllable and verifiable, in-time order tracking, and can provide exclusive brand customized marks and logos. Over the years, our original intention of high quality has never changed. Jracking Group is your reliable partner and will always be a strong backing.




终端用户：一站式方案解决专家 End user: one-stop solution expert

报价前实地勘察面对面沟通,会签前专家组评审仓储物流规划方案,生产前质检打样精度控制,安装前项目管理交底监督,验收前自检自查品质保障。江锐集团坚信服务至上,具备解决仓储问题的一切条件。




With us, you will experience face-to-face communication with the on-site investigation before the quotation, review of warehousing and logistics planning plan by the expert group before countersign, quality control of pre-production quality inspection and proofing accuracy, and supervision of project management before installation, and self-inspection of products quality assurance before acceptance. Jracking Group firmly believes that service comes first and has all the capabilities to solve warehousing problems.

◇ 有限元分析



主要参考规范

- 中国工程建设标准化协会标准 CECS23:90
- 中华人民共和国国家标准 GB/T39681-2020
- 中华人民共和国国家标准 GB/T39830-2021
- 中华人民共和国国家标准 GB50018-2002
- 中华人民共和国国家标准 GB50009-2012
- 中华人民共和国国家标准 GB50017-2017
- 中华人民共和国国家标准 GB50011-2010
- 中华人民共和国国家标准 GB55002-2021
- 欧洲标准 BSEN15512-2020
- 欧洲标准 BSEN15629-2008
- 欧洲标准 BSEN16681-2016
- 美国标准 ANSI MH16.1:2012
- 美国标准 ASCE/SEI 7-10



◇ 立体库项目安装

施工步骤



◇ 6大支持



江锐集团

多年来一直精专主业, 致力于货架产品的生产制造与创新研发, 汇聚了一批国内外物流领域的资深专家和行业优秀人才, 以优质的产品, 强大的生产供货实力, 以及专业的技术支持服务全球客户。

合作客户

